

2019

19385

19.1.0

ISO9001

ISO14001

OHSAS18001

/

|       |   |
|-------|---|
| ..... | 1 |
| ..... | 1 |
| ..... | 1 |
| ..... | 1 |
| ..... | 3 |
| ..... | 4 |
| ..... | 5 |
| ..... | 5 |
| ..... | 5 |
| ..... | 5 |



|   |  |     |
|---|--|-----|
|   |  |     |
| 1 |  | DZL |

|   |  |                  |
|---|--|------------------|
|   |  |                  |
| 1 |  | AC 220V11 V 50Hz |
| 2 |  | 18 26            |
| 3 |  | 10 50 1          |
| 4 |  | 15 35<br>1       |
| 5 |  | 0.01 10 ·m       |
| 6 |  | 5.0 ·m 3%<br>5%  |

1

2

3

1

2 STD Temperature( )

3 Checking( )

4

5

6 / /

7

1

2

Checking( )

$R_s = 2.40 \cdot m$

$\pm 0.04 \cdot m$

Right

3

4

5

3 5

T

$R_s$

**1**

6

STD Temperature

18

+

-

" "

7

" /

**1**

**2**

**3**

1

2

3

4

1

2

3

5

3



GB/T 25480-2010

|  |  |  |  |
|--|--|--|--|
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |

1

2

3



320

10

0532-87605016-87605018

0532-87660287

0532-87604773

[www.haitongda.com](http://www.haitongda.com)

[haitongda@vip.sina.com](mailto:haitongda@vip.sina.com)