

2019

14810

19.1.0

ISO9001

ISO14001

OHSAS18001

/

|       |   |
|-------|---|
| ..... | 1 |
| ..... | 1 |
| ..... | 1 |
| ..... | 1 |
| ..... | 3 |
| ..... | 4 |
| ..... | 5 |
| ..... | 5 |
| ..... | 5 |
| ..... | 5 |



|   |  |       |  |
|---|--|-------|--|
|   |  |       |  |
| 1 |  | FA    |  |
| 2 |  | FA-BX |  |

|   |  |                           |
|---|--|---------------------------|
|   |  |                           |
| 1 |  | 18cm                      |
| 2 |  | 100psi                    |
| 3 |  | 350 mL FA<br>180 mL FA-BX |
| 4 |  | 500 mL FA<br>250 mL FA-BX |



100psi

18 0.60cm<sup>2</sup>

1

2

3

20 40

4

5

6

145psi

7

100psi

8

9

10

1

2

3

4

1

0

2

3

$2/3$

4

5

3



GB/T 25480-2010

|  |    |      |  |
|--|----|------|--|
|  |    |      |  |
|  |    |      |  |
|  | O" | " O" |  |
|  |    |      |  |
|  |    |      |  |

2

3



320

10

0532-87605016/87605018

0532-87660287

0532-87604773

[www.haitongda.com](http://www.haitongda.com)

[haitongda@vip.sina.com](mailto:haitongda@vip.sina.com)