

2019

13037

19.1.0

ISO9001

ISO14001

OHSAS18001

/

.....	1
.....	1
.....	1
.....	3
.....	5
.....	5
.....	6
.....	6
.....	7
.....	7



1		ZNN-D6	F1
2		ZNN-D6V	F1
3		ZNN-D6F	F0.2
4		ZNN-D6VF	F0.2

		ZNN-D6	ZNN-D6V	ZNN-D6F	ZNN-D6VF
1		(22011)V 50Hz	(1105.5)V 50/60Hz	(22011)V 50Hz	(1105.5)V 50/60Hz
2		7.5W/15W			
3		-15 ~45			
4		750/1500 r/min			
5		3 6 100 200 300 600 r/min			
6		1~25 mPa $\text{\textcircled{C}}$ mPa.s 25 mPa $\text{\textcircled{C}}$ 4%			
7		0~300mPa.s F1		0~60mPa.s F0.2	
		0~150 mPa.s F1		0~30 mPa.s F0.2	
		0~153.3Pa F1		0~30.7Pa F0.2	

1

1

750/1500 r/min

22011 V 50/60Hz

2

r/min 3 6 100 200 300 600

3

4

2



1

2

3

4

5

600r/min

1-2

1

2

3

1

2

3

4

4

3

GB/T 25480-2010


- 1
- 2
- 3

320

10

0532-87605016/87605018

0532-87660287

0532-87604773

[www.haitongda.com](http://www.haitongda.com)

[haitongda@vip.sina.com](mailto:haitongda@vip.sina.com)