

2019

13145

19.1.0

ISO9001

ISO14001

OHSAS18001

/

.....	1
.....	1
.....	1
.....	2
.....	5
.....	5
.....	6
.....	7
.....	7
.....	7

1		HTD13145	
2		HTD13185	

1		AC100V-240V 50Hz
2		120W
3		-15 ~45
4		HTD13145 3 6 100 200 300 600 r/min
		HTD13185 0.9 1.8 3 6 30 60 90 100 180 200 300 600 r/min
5		1 25 mPas1 mPa.s 25 mPas 4%
6		0 300mPa.s F1
		0 60mPa.s F0.2
		0 150 mPa.s F1
		0 30 mPa.s F0.2
		0 153.3Pa F1
		0 30.7Pa F0.2

HTD13185

HTD13185

1

720 r/min

120W

220 11 V 50Hz

2

3 6 100 200 300 600 r/min

0.9 1.8 3 6 30 60 90 100 180 200 300 600

r/min

3

4

2

1 HTD13145

3-600 /

HTD13145

2 HTD13185

0.9 600 /

L 0.9 1.8 30 60 90 180 H 3 6 100

200 300 600

HTD13185

1

2

3

1.27

4

5

600r/min

1-2

BI

93

1

2

3

1

2

3

4

4

3

GB/T 25480-2010

1

2

320

10

0532-87605016/87605018

0532-87660287

0532-87604773

www.haitongda.com

haitongda@vip.sina.com